



GREASE ACCESSORIES

FOLLOWER PLATE FOR PUMPS SERIES 238 - 234 WITH SUCTION TUBE \varnothing 1.18" (50:1 - 65:1 PUMPS)

P/N 66310-55

Follower plate \varnothing 12.2" for 35-60 lbs container (internal \varnothing 10.0"-11.8")

P/N 66370-55

Follower plate \varnothing 14.6" for 120 lbs container (internal \varnothing 13.2"-14.2")

P/N 66590-55

Follower plate \varnothing 23.0" for 400 lbs container (internal \varnothing 21.3"-22.9")



\varnothing Follower plate

Union \varnothing 1.18"



FOLLOWER PLATE FOR PUMPS SERIES 312 - 412 WITH SUCTION TUBE \varnothing 1.77" (45:1 - 70:1 - 75:1 PUMPS)

P/N 10/60-55

Follower plate \varnothing 23.0" for 400 lbs container (internal \varnothing 21.3"-22.9")


P/N 10/62-55

Follower plate \varnothing 14.6" for 120 lbs container (internal \varnothing 13.2"-14.2")

\varnothing Follower plate



Union \varnothing 1.77"



FOLLOWER PLATE FOR PUMPS SERIES 412 - 600 WITH SUCTION TUBE \varnothing 2" (40:1 - 70:1 PUMPS)

P/N 10/65-55

Follower plate \varnothing 23.0" for 400 lbs container (internal \varnothing 21.3"-22.9")


P/N 10/67-55

Follower plate \varnothing 14.6" for 120 lbs container (internal \varnothing 13.2"-14.2")

\varnothing Follower plate




Union \varnothing 2"




DETAILS AND ADVANTAGES

The follower plate is always recommended but becomes indispensable when using particularly hard greases. The follower plate is pulled towards the bottom of the drum by the vacuum created by the pump and always ensures the following advantages:


- it compresses the grease, preventing air pockets formation and possible cavitation of the pump,
- it keeps the grease clean, as well as preserving its characteristics,
- it enables collection of all the grease from the bottom of the drum, that would otherwise remain attached to the sides.



without
follower plate



with
follower plate





GREASE ACCESSORIES

DRUM COVER FOR PUMPS SERIES 238 - 234 WITH SUCTION TUBE \varnothing 1.18" (50:1 - 60:1 PUMPS)

P/N 65310-55


Drum cover \varnothing 12.2" for 35-60 lbs container (external \varnothing 10.2"-11.8")

P/N 65385-55

Drum cover \varnothing 15.2" for 120 lbs container (external \varnothing 13.4"-15.2")

P/N 65600-55

Drum cover \varnothing 23.6" for 400 lbs container (external \varnothing 21.7"-23.6")



Union \varnothing 1.18"




DRUM COVER FOR PUMPS SERIES 312 - 412 WITH SUCTION TUBE \varnothing 1.77" (45:1 - 70:1 - 75:1 PUMPS)

P/N 10/50-55

Drum cover \varnothing 23.6" for 400 lbs container (external \varnothing 21.7"-23.6")

P/N 10/52-55

Drum cover \varnothing 15.2" for 120 lbs container (external \varnothing 13.4"-15.2")



Union \varnothing 1.77"




DRUM COVER FOR PUMPS SERIES 412 - 600 WITH SUCTION TUBE \varnothing 2" (40:1 - 70:1 PUMPS)

P/N 10/55-55

Drum cover \varnothing 23.6" for 400 lbs container (external \varnothing 21.7"-23.6")

P/N 10/57-55

Drum cover \varnothing 15.2" for 120 lbs container (external \varnothing 13.4"-15.2")



Union \varnothing 2"




DRUM COVER WITH THREADED BUSHING 2" (f)

P/N 65160-55

Drum cover \varnothing 23.6" for 400 lbs container (external \varnothing 21.7"-23.6")

P/N 65138-55

Drum cover \varnothing 15.2" for 120 lbs container (external \varnothing 13.4"-15.2")



2" Female union





GREASE ACCESSORIES

P/N 65709-55

Tie down kit suitable for 120 lb container. Equipped with:

- drum cover, external \varnothing 15.2", union 1.18"
- regulating knobs
- 2 rods with eye bolts

P/N 65711-55

Tie down kit suitable for 400 lb container. Equipped with:

- drum cover, external \varnothing 23.6", union 1.18"
- regulating knobs
- 2 rods with eye bolts



Note: the drum is not part of the kit

P/N 65715-55

Tie down kit suitable for 120 lb container. Equipped with:

- drum cover, external \varnothing 15.2", union 1.77"
- regulating knobs
- 2 rods with eye bolts

P/N 65717-55

Tie down kit suitable for 400 lb container. Equipped with:

- drum cover, external \varnothing 23.6", union 1.77"
- regulating knobs
- 2 rods with eye bolts



Note: the drum is not part of the kit

P/N 65721-55

Tie down kit suitable for 120 lb container. Equipped with:

- drum cover, external \varnothing 15.2", union 2"
- regulating knobs
- 2 rods with eye bolts

P/N 65723-55

Tie down kit suitable for 400 lb container. Equipped with:

- drum cover, external \varnothing 23.6", union 2"
- regulating knobs
- 2 rods with eye bolts



Note: the drum is not part of the kit



GREASE ACCESSORIES



Applied
Lubrication
Technology Inc.

P/N 65727-55

Tie down kit suitable for 120 lb container.

Equipped with:

- drum cover, external \varnothing 15.2", female union 2"
- regulating knobs
- 2 rods with eye bolts

P/N 65729-55

Tie down kit suitable for 400 lb container.


Equipped with:

- drum cover, external \varnothing 23.6", female union 2"
- regulating knobs
- 2 rods with eye bolts

2" Female union



Note: the drum is
not part of the kit






GREASE ACCESSORIES


P/N 21/160-55

Anodized aluminum base for industrial pumps
connection to bulk containers.
Thread fluid outlet 3" NPT




P/N 21/262-55

Nipple 1" NPT (m/m) for industrial pump base




P/N 21/161-55

Industrial pump base with adaptor
for suction tube 1" NPT (f)




P/N 21/162-55

Industrial pump base
with adaptor for suction tube 2" NPT (f)




P/N 21/164-55

Industrial pump base
with adaptor for suction tube \varnothing 1.77"



P/N 21/165-55

Industrial pump base
with adaptor for suction tube \varnothing 2"






GREASE ACCESSORIES


P/N 21/166-55

Industrial pump base
with adaptor for suction tube \varnothing 2.09"




P/N 21/61-55

Adaptor \varnothing 1.7" mm and o-rings for suction tube 1" NPT (f)




P/N 21/62-55

Adaptor and o-rings for suction tube 2" NPT (f)




P/N 21/64-55

Adaptor and o-rings for suction tube 1.77"



P/N 21/65-55

Adaptor and o-rings for suction tube \varnothing 2"





GREASE ACCESSORIES

NIPPLES

- P/N 111414-55 Nipple 1/4" NPTF (m) x 1/4" NPTF (m)
- P/N 111438-55 Nipple 1/4" NPTF (m) x 3/8" NPTF (m)
- P/N 113838-55 Nipple 3/8" NPTF (m) x 3/8" NPTF (m)



ADAPTORS

- P/N 121438-55 Adaptor 1/4" NPTF (m) x 3/8" NPTF (f)
- P/N 123814-55 Adaptor 3/8" NPTF (m) x 1/4" NPTF (f)



P/N 121438-55



P/N 123814-55

P/N 60450-55

Female quick connector complete with check valve - 1/4" NPT (f)
max. pressure 5000 psi



Articles not manufactured by RAASM

P/N 60451-55

Male quick connector complete with check valve - 1/4" NPT (f)
max. pressure 5000 psi



Articles not manufactured by RAASM

P/N 66661-55

Straight single swivel joint 1/4" NPT (m) x 1/4" NPT (f)
suitable for grease handle P/N 66855-55

P/N 66665-55

Straight single swivel joint 3/8" NPT (m) x 3/8" NPT (f)
suitable for grease handle P/N 66870-55



P/N 66663-55

Triple swivel joint - 1/4" NPT (m) x 1/4" NPT (f)
supplied with grease handle P/N 66882-55 - 66889-55









P/N 66667-55

Triple swivel joint - 3/8" NPT (m) x 3/8" NPT (f)
supplied with grease handle P/N 66873-55 - 66876-55





GREASE ACCESSORIES

<p>P/N 10/14-55 Bung adaptor \varnothing 1.77" for industrial pumps with suction tube, series 312 and 412</p> <p>P/N 10/15-55 Bung adaptor \varnothing 2.08" for industrial pumps with suction tube, series 312 and 412, suitable for standard 2" opening</p>		
<p>P/N 66740-55 Special 4-jaw grease coupler with antisplash valve fitted standard on all grease handles</p>		
<p>P/N 66741-55 90° grease coupler</p>		
<p>P/N 66742-55 Hooking grease coupler</p>		
<p>P/N 66743-55 Push-on grease coupler</p>		
<p>P/N 10/09-55 Adaptor for integral and flanged pumps series 312 - 412, for application with other brackets</p> 		
<p>P/N 66599-55 Handle for portable grease kit supplied with grease kits P/N 64031-55</p>		

P/N 37801-55


Pressure regulator with pressure gauge - connections 1/4" NPT (m/f) applied on a pump or on the tank of a suction/drain, for regulating the compressed air inlet pressure

P/N 37818-55

Pressure regulator with pressure gauge - connections 3/8" NPT (m/f) applied on a pump for regulating the compressed air inlet pressure

P/N 37814-55

Pressure regulator with pressure gauge - connections 1/2" NPT (m/f) applied on a pump for regulating the compressed air inlet pressure



Articles not manufactured by RAASM

P/N 37810-55


Pressure regulator with condensate discharge filter and pressure gauge - connections 1/4" NPT (f/f) for application at the start of the compressed air line feeding the pump

P/N 37819-55

Pressure regulator with condensate discharge filter and pressure gauge - connections 3/8" NPT (f/f) for application at the start of the compressed air line feeding the pump

P/N 37815-55

Pressure regulator with condensate discharge filter and pressure gauge - connections 1/2" NPT (f/f) for application at the start of the compressed air line feeding the pump



Articles not manufactured by RAASM

P/N 37811-55


Air lubricator - connections 1/4" NPT (f/f) its application guarantees better efficiency of the pump over time

P/N 37820-55

Air lubricator - connections 3/8" NPT (f/f) its application guarantees better efficiency of the pump over time

P/N 37816-55

Air lubricator - connections 1/2" NPT (f/f) its application guarantees better efficiency of the pump over time



Articles not manufactured by RAASM

P/N 37812-55


Pressure regulator with condensate discharge filter, air lubricator and pressure gauge - connections 1/4" NPT (f/f) the system guarantees that the pump feed air is free of condensate and is lubricated

P/N 37821-55

Pressure regulator same as P/N 37812-55 but with connections 3/8" NPT (f/f)

P/N 37817-55

Pressure regulator same as P/N 37812-55 but with connections 1/2" NPT (f/f)



Articles not manufactured by RAASM



GREASE ACCESSORIES

P/N 66855-55

Grease control handle
- inlet 1/4" NPT (f)

P/N 66870-55

Grease control handle
- inlet 3/8" NPT (f)

**P/N 66882-55**

Grease control handle with rigid terminal - inlet 1/4" NPT (f)
- P/N 66663-55 triple swivel joint - with special 4-jaw grease coupler

P/N 66873-55


Grease control handle with rigid terminal - inlet 3/8" NPT (f)
- P/N 66667-55 triple swivel joint - with special 4-jaw grease coupler

**P/N 66889-55**

Grease control handle with flexible terminal
- inlet 1/4" NPT (f)
- P/N 66663-55 triple swivel joint - with special 4-jaw grease coupler

P/N 66876-55

Grease control handle with flexible terminal - inlet 3/8" NPT (f)
- P/N 66667-55 triple swivel joint - with special 4-jaw grease coupler

**P/N 66856-55**

Flexible extension with special 4-jaw grease coupler - P/N 66740-55
for grease control handle applications

P/N 66857-55

Rigid terminal with special 4-jaw grease coupler - P/N 66740-55
for grease handle application

**P/N 66857-55****P/N 66856-55****Connecting hoses**

For more hoses see page 133
- 993.504-55 hose length 13' hose \varnothing 1/4"
- 995.706-55 hose length 2' hose \varnothing 3/8"
- 995.701-55 hose length 3' hose \varnothing 3/8"
- 995.702-55 hose length 7' hose \varnothing 3/8"

**P/N 88630-55**

Modular drip-tray. Equipped with hook for control handle and removable drip-tray. Applied under the hose reel, it is a handy holder for the delivery handle. Essential for a clean and orderly workplace

