

1,600 Liter Bench Tank Packages - 3:1 Ratio Pumps

All bench tanks come with;

1600BT 1,600 liter bench tank
 35567-55 3:1 ratio pump
 10/23-BT suction tube
 Bung bushing comes with pump
 37810-55 Ai line filter, regulator & gauge
 1/2" X 60" lube connect hose
 Air quick connect coupler
 Air quick connect nipple

Note: Air connect hose supplied by customer
 8530.401-360 1/2" x 35 FT. hose reel or
 8530.401-600 1/2" x 50 FT. hose reel
 Hose stop (comes with hose reel)
 Meter or Dispense Valve (see below)



MODELS WITH 3:1 PUMP - 35 FT. HOSE REEL

Model Number	Tank Capacity	Pump No. & Ratio	Hose Reel No. & Size	Dispense Valve No. & Type
1600BT-3-R35A	Part No. 1600BT 1,600 Liter Bench Tank see dimensions on back of this page	35567-55 3:1 ratio	8530.401-360 1/2" x 35 FT.	1520L Mechanical Pre-Set
1600BT-3-R35B		35567-55 3:1 ratio	8530.401-360 1/2" x 35 FT.	37738-55 Non-metered (Flexible)
1600BT-3-R35C		35567-55 3:1 ratio	8530.401-360 1/2" x 35 FT.	3776-55 Volume Non-metered (Flex. Ext.)
1600BT-3-R35D		35567-55 3:1 ratio	8530.401-360 1/2" x 35 FT.	37739-55 Standard Digital Meter
1600BT-3-R35E		35567-55 3:1 ratio	8530.401-360 1/2" x 35 FT.	1515L Standard Mechanical Meter
1600BT-3-R35F		35567-55 3:1 ratio	8530.401-360 1/2" x 35 FT.	37731-55 Non-metered (Rigid Ext.)
1600BT-3-R35G		35567-55 3:1 ratio	8530.401-360 1/2" x 35 FT.	37777-55 Volume Non-metered (Rigid Ext.)
1600BT-3-R35H		35567-55 3:1 ratio	8530.401-360 1/2" x 35 FT.	37709-55 Digital Pre-set Meter

MODELS WITH 3:1 PUMP - 50 FT. HOSE REEL

Model Number	Tank Capacity	Pump No. & Ratio	Hose Reel No. & Size	Dispense Valve No. & Type
1600BT-3-R50A	Part No. 1600BT 1,600 Liter Bench Tank see dimensions on back of this page	35567-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	1520L Mechanical Pre-Set
1600BT-3-R50B		35567-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37738-55 Non-metered (Flexible)
1600BT-3-R50C		35567-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	3776-55 Volume Non-metered (Flex. Ext.)
1600BT-3-R50D		35567-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37739-55 Standard Digital Meter
1600BT-3-R50E		35567-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	1515L Standard Mechanical Meter
1600BT-3-R50F		35567-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37731-55 Non-metered (Rigid Ext.)
1600BT-3-R50G		35567-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37777-55 Volume Non-metered (Rigid Ext.)
1600BT-3-R50H		35567-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37709-55 Digital Pre-set Meter



Applied
Lubrication
Technology Inc.

Lubrication & Fluid Handling Solutions

12 French Drive, Orangeville, ON Technical Sales: Bob Lewis (519) 658-3204 bob@appliedlubrication.com

1,600 Liter Bench Tank Packages - 5:1 Ratio Pumps

All bench tanks come with;

1600BT 1,600 liter bench tank
 36167-55 5:1 ratio pump
 10/23-BT suction tube
 Bung bushing comes with pump
 37810-55 Ai line filter, regulator & gauge
 1/2" X 60" lube connect hose
 Air quick connect coupler
 Air quick connect nipple

Note: Air connect hose supplied by customer

8530.401-360 1/2" x 35 FT. hose reel or

8530.401-600 1/2" x 50 FT. hose reel

Hose stop (comes with hose reel)

Meter or Dispense Valve (see below)



MODELS WITH 5:1 PUMP - 35 FT. HOSE REEL

Model Number	Tank Capacity	Pump No. & Ratio	Hose Reel No. & Size	Dispense Valve No. & Type
1600BT-5-R35A	Part No. 1600BT 1,600 Liter Bench Tank see dimensions on back of this page	36167-55 5:1 ratio	8530.401-360 1/2" x 35 FT.	1520L Mechanical Pre-Set
1600BT-5-R35B		36167-55 5:1 ratio	8530.401-360 1/2" x 35 FT.	37738-55 Non-metered (Flexible)
1600BT-5-R35C		36167-55 5:1 ratio	8530.401-360 1/2" x 35 FT.	3776-55 Volume Non-metered (Flex. Ext.)
1600BT-5-R35D		36167-55 5:1 ratio	8530.401-360 1/2" x 35 FT.	37739-55 Standard Digital Meter
1600BT-5-R35E		36167-55 5:1 ratio	8530.401-360 1/2" x 35 FT.	1515L Standard Mechanical Meter
1600BT-5-R35F		36167-55 5:1 ratio	8530.401-360 1/2" x 35 FT.	37731-55 Non-metered (Rigid Ext.)
1600BT-5-R35G		36167-55 5:1 ratio	8530.401-360 1/2" x 35 FT.	37777-55 Volume Non-metered (Rigid Ext.)
1600BT-5-R35H		36167-55 5:1 ratio	8530.401-360 1/2" x 35 FT.	37709-55 Digital Pre-set Meter

MODELS WITH 5:1 PUMP - 50 FT. HOSE REEL

Model Number	Tank Capacity	Pump No. & Ratio	Hose Reel No. & Size	Dispense Valve No. & Type
1600BT-5-R50A	Part No. 1600BT 1,600 Liter Bench Tank see dimensions on back of this page	36167-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	1520L Mechanical Pre-Set
1600BT-5-R50B		36167-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37738-55 Non-metered (Flexible)
1600BT-5-R50C		36167-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	3776-55 Volume Non-metered (Flex. Ext.)
1600BT-5-R50D		36167-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37739-55 Standard Digital Meter
1600BT-5-R50E		36167-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	1515L Standard Mechanical Meter
1600BT-5-R50F		36167-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37731-55 Non-metered (Rigid Ext.)
1600BT-5-R50G		36167-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37777-55 Volume Non-metered (Rigid Ext.)
1600BT-5-R50H		36167-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37709-55 Digital Pre-set Meter




Applied
Lubrication
Technology Inc.

Lubrication & Fluid Handling Solutions

12 French Drive, Orangeville, ON Technical Sales: Bob Lewis (519) 658-3204 bob@appliedlubrication.com

1,600 Liter Bench Tank Dimensions



Level Chart – 1,600 Liter Bench Tank

Inches Left in Tank	Liters Left in Tank	Inches Left in Tank	Liters Left in Tank	Inches Left in Tank	Liters Left in Tank	Inches Left in Tank	Liters Left in Tank
1"	46	11"	510	21"	974	31"	1438
2"	93	12"	557	22"	1020	32"	1484
3"	139	13"	603	23"	1067	33"	1530
4"	186	14"	649	24"	1113	34"	1577
5"	232	15"	696	25"	1159	34.5"	1600
6"	278	16"	742	26"	1206	36"	
7"	325	17"	788	27"	1252	37"	
8"	371	18"	835	28"	1299	38"	
9"	417	19"	881	29"	1345	39"	
10"	464	20"	928	30"	1391	40"	



Applied
Lubrication
Technology Inc.

Lubrication & Fluid Handling Solutions

12 French Drive, Orangeville, ON Technical Sales: Bob Lewis (519) 658-3204 bob@appliedlubrication.com