

1,130 Liter Rectangular Tank Packages - 3:1 Ratio Pumps

All Rectangular tanks come with;
 1,130RT 1,130 liter Rectangular tank
 35561-55 3:1ratio pump
 10/23-RT suction tube
 Bung bushing comes with pump
 37810-55 Ai line filter, regulator & gauge
 1/2" X 60" lube connect hose
 Air quick connect coupler – 1/4" NPT(f)
 Air quick connect nipple – 1/4" NPT(m)
Note: Air connect hose by customer
 8530.401-360 1/2" x 30 FT. hose reel or
 8530.401-600 1/2" x 50 FT. hose reel
 Hose stop (comes with hose reel)
 Meter or Dispense Valve (see below)



MODELS WITH 3:1 PUMP - 30 FT. HOSE REEL

Model Number	Tank Capacity	Pump No. & Ratio	Hose Reel No. & Size	Dispense Valve No. & Type
1130RT-3-R30A	Part No. 1130RT 1,400 Liter Rectangular Tank see dimensions and level chart on separate page	35561-55 3:1 ratio	8530.401-360 1/2" x 30 FT.	1520L Mechanical Pre-Set
1130RT-3-R30B		35561-55 3:1 ratio	8530.401-360 1/2" x 30 FT.	37738-55 Non-metered (Flexible)
1130RT-3-R30C		35561-55 3:1 ratio	8530.401-360 1/2" x 30 FT.	3776-55 Volume Non-metered (Flex. Ext.)
1130RT-3-R30D		35561-55 3:1 ratio	8530.401-360 1/2" x 30 FT.	37739-55 Standard Digital Meter
1130RT-3-R30E		35561-55 3:1 ratio	8530.401-360 1/2" x 30 FT.	1515L Standard Mechanical Meter
1130RT-3-R30F		35561-55 3:1 ratio	8530.401-360 1/2" x 30 FT.	37731-55 Non-metered (Rigid Ext.)
1130RT-3-R30G		35561-55 3:1 ratio	8530.401-360 1/2" x 30 FT.	37777-55 Volume Non-metered (Rigid Ext.)
1130RT-3-R30H		35561-55 3:1 ratio	8530.401-360 1/2" x 30 FT.	37709-55 Digital Pre-set Meter

MODELS WITH 3:1 PUMP - 50 FT. HOSE REEL

Model Number	Tank Capacity	Pump No. & Ratio	Hose Reel No. & Size	Dispense Valve No. & Type
1130RT-3-R50A	Part No. 1130RT 1,400 Liter Rectangular Tank see dimensions and level chart on separate page	35561-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	1520L Mechanical Pre-Set
1130RT-3-R50B		35561-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37738-55 Non-metered (Flexible)
1130RT-3-R50C		35561-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	3776-55 Volume Non-metered (Flex. Ext.)
1130RT-3-R50D		35561-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37739-55 Standard Digital Meter
1130RT-3-R50E		35561-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	1515L Standard Mechanical Meter
1130RT-3-R50F		35561-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37731-55 Non-metered (Rigid Ext.)
1130RT-3-R50G		35561-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37777-55 Volume Non-metered (Rigid Ext.)
1130RT-3-R50H		35561-55 3:1 ratio	8530.401-600 1/2" x 50 FT.	37709-55 Digital Pre-set Meter



Applied
Lubrication
Technology Inc.

Lubrication & Fluid Handling Solutions

12 French Drive, Orangeville, ON Technical Sales: Bob Lewis (519) 658-3204 bob@appliedlubrication.com

1,130 Liter Rectangular Tank Packages 5:1 Ratio Pumps

All Rectangular tanks come with;
 1,130RT 1,130 liter Rectangular tank
 36161-55 5:1ratio pump
 10/23-RT suction tube
 Bung bushing comes with pump
 37810-55 Ai line filter, regulator & gauge
 1/2" X 60" lube connect hose
 Air quick connect coupler – 1/4" NPT(f)
 Air quick connect nipple – 1/4" NPT(m)
Note: Air connect hose by customer
 8530.401-360 1/2" x 30 FT. hose reel or
 8530.401-600 1/2" x 50 FT. hose reel
 Hose stop (comes with hose reel)
 Meter or Dispense Valve (see below)



MODELS WITH 5:1 PUMP - 30 FT. HOSE REEL

Model Number	Tank Capacity	Pump No. & Ratio	Hose Reel No. & Size	Dispense Valve No. & Type
1130RT-5-R30A	Part No. 1130RT 1,400 Liter Rectangular Tank see dimensions on back of this page	36161-55 5:1 ratio	8530.401-360 1/2" x 30 FT.	1520L Mechanical Pre-Set
1130RT-5-R30B		36161-55 5:1 ratio	8530.401-360 1/2" x 30 FT.	37738-55 Non-metered (Flexible)
1130RT-5-R30C		36161-55 5:1 ratio	8530.401-360 1/2" x 30 FT.	3776-55 Volume Non-metered (Flex. Ext.)
1130RT-5-R30D		36161-55 5:1 ratio	8530.401-360 1/2" x 30 FT.	37739-55 Standard Digital Meter
1130RT-5-R30E		36161-55 5:1 ratio	8530.401-360 1/2" x 30 FT.	1515L Standard Mechanical Meter
1130RT-5-R30F		36161-55 5:1 ratio	8530.401-360 1/2" x 30 FT.	37731-55 Non-metered (Rigid Ext.)
1130RT-5-R30G		36161-55 5:1 ratio	8530.401-360 1/2" x 30 FT.	37777-55 Volume Non-metered (Rigid Ext.)
1130RT-5-R30H		36161-55 5:1 ratio	8530.401-360 1/2" x 30 FT.	37709-55 Digital Pre-set Meter

MODELS WITH 5:1 PUMP - 50 FT. HOSE REEL

Model Number	Tank Capacity	Pump No. & Ratio	Hose Reel No. & Size	Dispense Valve No. & Type
1130RT-5-R50A	Part No. 1130RT 1,400 Liter Rectangular Tank see dimensions on back of this page	36161-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	1520L Mechanical Pre-Set
1130RT-5-R50B		36161-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37738-55 Non-metered (Flexible)
1130RT-5-R50C		36161-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	3776-55 Volume Non-metered (Flex. Ext.)
1130RT-5-R50D		36161-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37739-55 Standard Digital Meter
1130RT-5-R50E		36161-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	1515L Standard Mechanical Meter
1130RT-5-R50F		36161-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37731-55 Non-metered (Rigid Ext.)
1130RT-5-R50G		36161-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37777-55 Volume Non-metered (Rigid Ext.)
1130RT-5-R50H		36161-55 5:1 ratio	8530.401-600 1/2" x 50 FT.	37709-55 Digital Pre-set Meter




Applied
Lubrication
Technology Inc.

Lubrication & Fluid Handling Solutions

12 French Drive, Orangeville, ON Technical Sales: Bob Lewis (519) 658-3204 bob@appliedlubrication.com

1,130 Liter Rectangular Tank Dimensions³⁶



Level Chart – 1,130 Liter Rectangular Tank

Inches Left in Tank	Liters Left in Tank	Inches Left in Tank	Liters Left in Tank	Inches Left in Tank	Liters Left in Tank	Inches Left in Tank	Liters Left in Tank
1"	23	14"	326	27"	629	40"	932
2"	47	15"	349	28"	652	41"	955
3"	70	16"	373	29"	676	42"	979
4"	93	17"	396	30"	699	43"	1002
5"	116	18"	419	31"	722	44"	1025
6"	140	19"	443	32"	746	45"	1048
7"	163	20"	466	33"	769	46"	1072
8"	186	21"	489	34"	792	47"	1095
9"	210	22"	513	35"	815	48"	1118
10"	233	23"	536	36"	839	48.5	1130
11"	256	24"	559	37"	862		
12"	280	25"	582	38"	885		
13"	303	26"	606	39"	909		



Applied
Lubrication
Technology Inc.

Lubrication & Fluid Handling Solutions

12 French Drive, Orangeville, ON Technical Sales: Bob Lewis (519) 658-3204 bob@appliedlubrication.com