



Series 238 - 5:1 - 5.50 gpm

Series 238 air-operated double-acting pumps for medium distance oil distribution.

Ideal for distributing high
viscosity oils.

The double action provides
the delivery of a continuous
flow, ideal for all installations,
excellent for long distance
distribution.

The modular version may
be mounted via accessories
(see page 58), and the
suction can be extended.

COMPATIBLE FLUIDS (page 16)



Low and medium
viscosity fluids



High viscosity fluids



P/N 36161-55


P/N 36164-55

P/N 36167-55

Type of seals	NBR
Air motor	aluminum
Suction tube	carbon steel
Bung adapter	38042-55
Air inlet connection	1/4" NPT (f)
Fluid outlet connection	1/2" NPT (f)
Air working pressure	90 - 120 psi
Noise level	81 dB
Deliverable oil temperature	14 - 122 °F
Max. deliverable oil viscosity	240 SAE
Cycles per gallon	36.4
Max. air consumption 120 psi	30 cfm
Suction tube length	9.8" (excluded P/N 10/20-55)
Suction tube external diameter	1.65"
Type of installations	modular - customizable 1"
Packaging - Weight	No. 1 0.35 ft³ lb 12

Type of seals	NBR
Air motor	aluminum
Suction tube	carbon steel
Bung adapter	38042-55
Air inlet connection	1/4" NPT (f)
Fluid outlet connection	1/2" NPT (f)
Air working pressure	90 - 120 psi
Noise level	81 dB
Deliverable oil temperature	14 - 122 °F
Max. deliverable oil viscosity	240 SAE
Cycles per gallon	36.4
Max. air consumption 120 psi	30 cfm
Suction tube length	29"
Suction tube external diameter	1.65"
Type of installations	suitable for drum 16 gal
Packaging - Weight	No. 1 0.71 ft³ lb 15

Type of seals	NBR
Air motor	aluminum
Suction tube	carbon steel
Bung adapter	38042-55
Air inlet connection	1/4" NPT (f)
Fluid outlet connection	1/2" NPT (f)
Air working pressure	90 - 120 psi
Noise level	81 dB
Deliverable oil temperature	14 - 122 °F
Max. deliverable oil viscosity	240 SAE
Cycles per gallon	36.4
Max. air consumption 120 psi	30 cfm
Suction tube length	37"
Suction tube external diameter	1.65"
Type of installations	suitable for drum 55 gal
Packaging - Weight	No. 1 0.71 ft³ lb 16





5:1 MOBILE LUBE PACKAGES (55 gal)



Applied
Lubrication
Technology Inc.

Dolly-mounted oil dispensing kits with digital metered valve and 5:1 pumps.

Available with or without hose reel. The ideal combinations for dispensing oil in any workplace. The very easy to maneuver dollies are equipped with a 55 gal drum clamping device and a side support for the control handle. The kit equipped with the dolly model P/N 80210-55 also has a rear wheel brake.



P/N 37099-55

Mobile lube kit for drums of 55 gal with:

- pump 5:1 - 5.50 gpm ■ hose reel



Pump 5:1	36167-55
Heavy duty dolly	80210-55 (with brake)
Hose reel 1/2" - 35'	8430.401-55
Bung adapter	38042-55
Control valve with digital meter	37739-55
Hose 1/2"	996.302-55 (7')
Packaging - Weight	No. 1 17 ft ³ lb 126

P/N 37200-55

Mobile lube kit for drums of 55 gal with:

- pump 5:1 - 5.50 gpm

36167-55
80200-55 (no brake)
-
38042-55
37739-55
996.304-55 (13')
No. 1 6.0 ft ³ lb 75





5:1 MOBILE LUBE PACKAGES (16 gal)



Applied
Lubrication
Technology Inc.

16 gal oil dispenser

kits. The ideal combinations for dispensing oil in any workplace. The dollies are very easy to handle thanks to 2 fixed wheels and 2 castors and offer a pump support and a handle support.



P/N 37500-55

Mobile lube kit for drums of 16 gal with:
■ pump 5:1 - 5.50 gpm

P/N 37503-55

Mobile lube kit for drums of 16 gal with:
■ pump 5:1 - 5.50 gpm
■ drum cover




P/N 37504-55

Lube kit for drums of 16 gal with:
■ pump 5:1 - 5.50 gpm
■ drum cover

Pump 5:1	36164-55
Dolly	80050-55
Drum cover	-
Bung adapter	38042-55
Control valve with digital meter	37739-55
Hose 1/2" - 13'	996.304-55
Packaging - Weight	No. 1 4.9 ft³ lb 45

36164-55
80050-55
65138-55
38042-55
37739-55
996.304-55
No. 1 4.9 ft³ lb 52

36164-55
-
65138-55
38042-55
37739-55
996.304-55
No. 1 4.9 ft³ lb 32





5:1 MODULAR OIL KITS

System for oil dispensing with pump installed on wall or on the tank.
Ideal for distribution from storage zones.



Note: the tank is not part of the kit

P/N 37685-55

Modular wall-mounted kit,
for dispensing from drums 55 gal with:
■ pump 5:1 - 5.50 gpm

Pump 5:1	36161-55
Hose reel 1/2" - 33'	-
Bung adapter	38042-55
Control valve with digital meter	-
Extensions ø 1.34"	-
Flexible suction tube ø 1-1/4"	38026-55
Rigid suction tube	38027-55
Pump support bracket	38043-55
Hose connector	38081-55
Packaging - Weight	No. 1 1.0 ft ³ lb 26

P/N 36622-55

Dispensing kit for oil and allied products with:
■ pump 5:1 - 5.50 gpm inserted centrally in the tank
■ open hose reel

36161-55
8430.401-55
38042-55
37739-55
10/23-55
-
-
36602-55
-
No. 1 12 ft ³ lb 119

